Name:	
Date:	Block:

6.1 Systems of Equations Unit Review

What you need to know & be able to	Things to remember	Examples	
What you need to know & be able to do 1. Solve a system of linear equations by graphing.	Make sure each equation is solved for y. Graph both equations and find where they intersect.	1. Solve the system. $y = 2x + 3$ $y = 2x - 5$	2. Solve the system. $x = y - 8$ $y = -x$
		3. Solve the system of equations.	4. Solve the system of equations.
2. Solve a system of linear equations using substitution .	Use only when one variable isolated	5. Solve the system. $y = -5x + 9$ $10x - 7y = -18$	6. Solve the system. $y = -8x - 16$ $y = 3x - 5$

3. Solve a system of linear equations using elimination .	To eliminate a variable using addition or multiplication one coefficient must be positive and one must be negative.	7. Solve the system. $x - y = 11$ $2x + y = 19$	8. Solve the system. $4x = 20 - 8y$ $-4x + 2y = -30$
		9. Solve the system. 2x + 3y = 12 5x - y = 13	10. Solve the system. -3x - 8y = 0 -2x - 10y = 14
4. Special Types of Systems	No Solution: False Equations Slopes are the same Y-intercepts are different Parallel Lines Infinite Solutions: True Equations Equations are the same One Line	11. Solve the system: y = 2x - 2 -2x + y = 1	12. Solve the system: -9x - 3y = -18 3x + y = 6

5. Systems with Real World Scenarios	Define your variables Determine if slope intercept or standard form is best Set up your equations and solve using elimination or substitution. Break Even Point: where the cost equal the income	13. One high speed internet provider has a \$50 set up fee and costs \$30 per month. Another provider has no set up fee and costs \$40 per month. In how many months will both providers costs the same? What will that cost be?	14. Sam spent \$24.75 to buy 12 flowers for his mother. Roses cost \$2.50 each and daisies costs \$1.75 each. How many of each flower type did he purchase?
		15. Explain what a break-even point is. What will the income and cost always be at the break-even point?	16. As a fundraiser for a band trip, AHS plans to sell hats with the school logo. The company producing the hats charges \$240 for the design and set up plus \$8 per hat. The band members will sell the hats for \$12 each. What is the break-even point? What will the cost and income be?
		What is the profit at the break-even point?	

Multiple Choice Practice

17. Taxi Company A charges \$4 plus \$0.50 per mile. Taxi Company B charges \$5 plus \$0.25 per mile. Which system best represents this problem?

(a)
$$Y = 4x + 0.5$$

$$Y = 5x + 0.25$$

(c)
$$Y = 0.5x + 4$$

$$Y = 0.25x + 5$$

(b)
$$Y = 4x + 0.25$$

$$Y = 5x + 0.5$$

(d)
$$Y = 0.5x + 5$$

$$Y = 0.25 + 4$$

- 18. The Fun Guys game rental store charges an annual fee of \$5 plus \$5.50 per game rented. The Game Bank charges an annual fee of \$60 for unlimited game rentals. For how many game rentals will the cost be the same at both stores? What is the cost?
 - (a) Month 4; \$27

(b) Month 10: \$60

(c) Month 8; \$49

- (d) Month 14, \$82
- 19. Solve the system of equations: 4x 4y = -16x 2y = -12
 - (a) (8, -4)

(b) (-2, 4)

(c) (4, 8)

- (d) (4, -8)
- 20. The graph to the right shows the cost of two phone plans. How many minutes does a person need to call each month so that Plan B is the less expensive plan to use?
 - (a) Less than 10 minutes
 - (b) Less than 40 minutes
 - (c) More than 40 minutes
 - (d) More than 30 minutes but less than 40 minutes

Use the graph below to answer the question.



- 21. A student store sold a total of 55 shirts for \$620. The shirts sold were either red or white. If the red shirts sold for \$12 each and the white sold for \$10 each, how many of each color shirt were sold?
 - (a) 20 red, 35 white

(b) 27 red, 28 white

(c) 28 red, 27 white

- (d) 35 red, 20 white
- 22. Consider each system of equations below. Just by looking at the equations, tell how many solutions the system will have and explain why. **NOT MULTIPLE CHOICE!**
- $\text{a. } \begin{cases} y = 4x 3 \\ y = 4x + 2 \end{cases}$
- b. $\begin{cases} y = \frac{1}{3}x + 5 \\ y = \frac{1}{3}x + 5 \end{cases}$
- C. $\begin{cases} y = -x + 2 \\ y = \frac{1}{3}x + 6 \end{cases}$
- d. $\begin{cases} y = -\frac{3}{4}x + 5 \\ y = -\frac{3}{4}x 4 \end{cases}$